

AVIKO B.V. Burg. Smitstraat 2 7221 BJ Steenderen - Nederland Tel. 31 (0)575 458200

Postbus 8 7220 AA Steenderen - Nederland

Productspecification Aviko Pom a Part Deep Frying 4x2500g

General Information

General Information

Product description	Potato wedges, pre-fried, quick-frozen.
Process description	This product is made of potatoes which are washed, sorted, peeled, cut, blanched, dried, prefried in vegetable oil, quick frozen and packed.
Potatoes - comment	The processed potatoes are purchased from approved suppliers who meet local laws and regulations, are certified for GLOBAL-GAP and/or Dutch VVA, QS-GAP or IKKB certificate for potatoes and comply with strict quality criteria of Aviko.
Brand	Aviko
Article number	800003
SF-number	830241
Intra stat number	20041010



Ingredient declaration

Ingredient declaration

Ingredients: potatoes, sunflower oil

Quality Parameters

Physical

			I*IIN.	Target	ı*ıax.	Comment
Length	Wedge < 50mm	% w/w		20	40	
Length	Wedge > 75mm	% w/w		20	40	
Breakage		% w/w		0	4	
Defect units	Standard	du/kg 0		19	35	
Form and/or cutsize deviations		% w/w		0	4	

Defect-units: sum of points for all pieces with minor, major and gross defects for a sample of 1000g.

Minor defect (3-6mm): I point Major defect (6-12mm): 2 points Gross defect (>12mm): 3 points

Chemical properties

			Min.	Target	Max.	Comment
Moisture content	Halogen dryer	%	67	70	73	
Fat content	Soxtherm	%	1.5	3	4.5	

Microbiological properties

			Min.	Target	Max.	Comment
Aerobic plate count	end of shelflife	cfu/g			100,000	
Enterobacteriaceae	end of shelflife	cfu/g			1,000	
Staphylococcus Coagulase Positive	end of shelflife	cfu/g			500	
Salmonella	end of shelflife	cfu/25g			0	
Escherichia coli	end of shelflife	cfu/g			100	

Sensorical properties

Specification version: 7

Date of standard : 9/22/2017 9:18:11 AM Issue date : 3/2/2018 7:06:24 PM

			Min.	Target	Max.	Comment
Colour	Unprepared	Agtron	65	80	100	
Sensorical properties - Colour USDA						
	UOM	Value			Descriptio	n
Colour unprepared	USDA	00-0			Light yello	w
Colour prepared	USDA	max. 2		Golden yellow		

USDA-colour card

USDA-colour card, Munsell Colour Company.

(treatment according DPPA-standard: frying 500g of product 3 min. at 180°C in a calibrated fryer with 10 litres of oil).

Texture

Slight crispy crust with a uniform smooth inside of cooked potatoes.

A pleasant odour, characteristic for deep fried potatoes.

Taste

A pleasant taste, characteristic for deep fried potatoes.

Nutrition

Nutritional data EU

Nutrient	Attribute	UOM	per 100g as sold	%RI
Energy	kJ	kJ	550	
Energy	kCal	kcal	130	7
Fat		G	3	4
Fat of which	Saturated	G	0.4	2
Carbohydrates		G	22	8
Carbohydrates of which	Sugars	G	0.3	0.3
Dietary fibre	-	G	2.5	
Protein		G	2.5	5
Salt		G	0.1	2

Allergens

Allergens (annex II EU regulation 1169/2011)

To Declare	Not present	Present	May Contain	Concentration in ppm	Remarks
	Ø				
	V				
	Z				
	V				
	V				
	V				
	Z				
	Z				
	V				
	V				
	V				
	V				
	Ø				
	To Declare				

Storage/transport conditions

	UOM	Value
Temperature product during storage	°C	max18
Delivery temperature	°C	max18

Shelf life

Issue date :

Specification version :

Date of standard : 9/22/2017 9:18:11 AM 3/2/2018 7:06:24 PM

	Code
Storage life in days after production date	730
Min. rem. shelf life/day at time of loading	182

Coding

Lotcode, expiry date, packaging content/weight, product description

Packaging details



Packaging details [Consumer unit]

General information

		Туре
EAN code		8710449196104
Material type	Pillow	
Green point	Yes	
Composition	LD-PE	
· · · · ·		

Dimensions

	UOM	Length	Width	Height
Consumer unit	mm	480	300	30

Packaging details [Box]

General information

	Ту	rpe				
EAN code			8710449980321			
Material type	Regular slotted box					
Material category	Corrugated cardboard					
Green point	No					
Dimensions						
	UOM	Length	Width	Height		

mm

Packaging details [Pallet]

General information

Box external practical

Specification version: 7

Date of standard : 9/22/2017 9:18:11 AM lssue date : 3/2/2018 7:06:24 PM

393

261

210

	Туре			
Material type	Pallet			
Dimensions				
	UOM	Length	Width	Height
Dimensions material	mm	1,200	800	150

Packaging details [Full pallet]

Pallet details

	UOM	Value	
# units per layer		9	
# layers per pallet		7	
# units per pallet		63	
Calculated pallet height	cm	177	

Consumer information

Cooking instruction frying pan

10-15 min.

Cooking instruction fryer

Max. 175°C, portion approx. 500g, 3-31/2 min.

Claims

Claims diet

Property	Suitable for	Comment
Ovo-lacto vegetarian	✓	
Vegan	✓	
Low sodium diet	▽	

Legal Requirements

GMO statement

Hereby Aviko declares that none of our products, produced, packed, delivered and sold are genetically modified. None of the ingredients contain any genetically modified organism. No biotechnology or processing agents produced by means of gentechnology have been used during production. The product complies with the European non-GMO regulation (EG) nr. 1829/2003 and 1830/2003.

weight registration e-symbol

Aviko's standard procedure for packing of products/units is based upon average weight (e-symbol). For specific countries with relevant legislation, the procedure for packed products/units is based upon nominal weight.

Pacticidas statement

Aviko declares that the products supplied by Aviko are conform to relevant legislation currently in force in the EU. Pesticides used shall be conform to the EU approved list and not exceed the MRL's, defined by the EU, in the finished material supplied.

Heavy metals statement

Aviko declares that all supplied products are conform to the EU-legislation and that they do not exceed the heavy metal tolerances defined by the EU.

Other requirements

Sampling

In case of arbitration a lot is judged by taking a lot sample, per packaging. Normally, max. one lot sample is taken per two pallets. One lot consists of several pallets of at least 2 different shift dates. The lot samples are being mixed to one compilation sample. From this compilation sample a sample of I kg is taken to judge the quality.

Quality Management Systems

Specification version: 7

Date of standard: 9/22/2017 9:18:11 AM

Date of standard : 9/22/2017 9:18:11 AM Issue date : 3/2/2018 7:06:24 PM

 $\ensuremath{\mathbb{C}}$ AVIKO - Products pecification

Issued By Corporate Quality Department Aviko

The production location where this article is being produced, has a quality management system that is certified to a GFSI recognised scheme. In case of a BRC certification at least B grade is required, for an IFS certification at least Foundation Level.

Disclaimer

Aviko has the right, when delivery from a new crop starts, to adjust the specification with regard to the length within the valid contract to the on that moment available range of raw material. This specification is based on the moving average, with the help of methods of analysis from Aviko laboratories.

Signature

Signature General Quality Manager Aviko-group

Drs. Ing. J. (Judit) Kossen

Specification version: 7

Date of standard : 9/22/2017 9:18:11 AM Issue date : 3/2/2018 7:06:24 PM